

8CH 5MP WiFi NVR Kit

Product Features

- ↗ Using Smart link technology, the wireless camera can be automatically paired with the NVR by pressing the key;
- ↗ Plug and play, the device will automatically connect after power on, and the NVR will output images;
- ↗ Special enhanced wireless module, wireless barrier-free transmission over 480 meters, stable and reliable;
- ↗ Support remote monitoring of Android and IOS smart phones;
- ↗ The maximum output resolution of the HD camera is 5MP;
- ↗ 5MP image sensor, clear at night and delicate picture during the day;
- ↗ Wireless high-definition camera, supports 8-channel motion detection alarm, which can effectively monitor personnel intrusion

Applicable scene

The wireless camera can be installed in any position, no extra video transmission cable is needed, and the installation is convenient, which solves the trouble of wiring and installation location of traditional monitoring solutions.

Camera	Video Stream	8 * 5MP @15fps
--------	--------------	----------------

Kits	Image Compression	H.264 , H.265 , H.265+
	Wireless transmission distance	Unobstructed transmission distance of 480 meters, the actual transmission distance depends on the environment
	Audio Compression	G.711A
	Size	320mm (L) * 280mm (W) * 270mm (H)
	Operating temperature	-10℃ — +55℃
	Working humidity	10%—90%
NVR	Video Output	8CH*1080P/3MP/5MP
	Audio	1 AUX (3.5mm) audio output , HDMI audio output
	Recording mode	Manual recording, motion detection recording, timing recording
	Playback	8 channels 2MP synchronous playback, playback speed adjustable 1/4, 1/2, 2X, 4X, 8X, 16X
	Network protocol	DHCP , PPPOE , FTP , DNS , DDNS , NTP , UPNP , Email , etc.
	APP	Support for iPhone, Android
	Browser	Supports multiple web browsers
	Network Interface	RJ45 10M/100Mbps
	USB	1 * USB 2.0
	HDD	1 SATA Port, up to 8TB
	Power	1 * DC 12V /2A

Camera

Image sensor	1/2.9" 2.0M Pixel CMOS
Lens	3.6mm, horizontal field of view: 80°
Min. Illumination	Color:0.01Lux@(F1.2,AGC ON)

	B/W:0.001Lux@(F1.2,AGC ON),0Lux @(IRled ON)
S / N ratio	≥39dB
Shutter speed	1/5 - 1/20,000s,
Wide dynamic range	Digital Wide dynamic range
Digital noise Reduction	2DNR,3DNR
Video Compression	H.265 Main Profile/H.264 Main Profile/M-JPEG
Audio Compression	G711,PCM
Max.Image Resolution	5MP@15fps
Image Resolution	Main stream: 2880*1620,2560*1440,1920*1080
	sub-stream (704*576,640*480,352*288)
Motion detect	Support
Privacy Zone Masking	8 privacy masks programmable
Wireless	Frequency:2.4G